

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L10	797	creamer-t\$.in. OR hilf-b\$.in. OR katz-n\$.in. OR moore-v\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/17 13:19
S17	1734	usage NEAR3 message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 09:30
S18	82876	application NEAR3 component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 09:31
S20	6	S17 SAME S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 09:31
S21	5	S20 AND (@pd<"20030903" or @ad<"20030903" or @prad<"20030903" or @rlad<"20030903")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 09:41
S22	9318	(intermittent\$4 OR periodical\$4 OR iterative\$4 OR occasional\$4 OR periodic\$4 OR recurr\$4) WITH ((send\$4 OR broadcast\$4 OR dispatch\$4 OR forward\$4 OR transmit\$4 OR transfer\$4) NEAR5 message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 14:48
S23	133	S22 WITH component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 11:22

EAST Search History

S24	111	S23 AND (@pd<"20030903" or @ad<"20030903" or @prad<"20030903" or @rlad<"20030903")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 10:23
S25	37728	(activity OR usage) NEAR3 information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 09:54
S26	1	S23 SAME S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 09:54
S27	1	S26 AND (@pd<"20030903" or @ad<"20030903" or @prad<"20030903" or @rlad<"20030903")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 09:54
S28	44	S24 AND ("718".clas. OR "709".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 10:23
S29	397	S22 SAME component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 11:22
S30	264	S29 NOT S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 11:22
S31	223	S30 AND (@pd<"20030903" or @ad<"20030903" or @prad<"20030903" or @rlad<"20030903")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 11:22

EAST Search History

S32	1	S29 SAME S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 11:23
S33	31	S29 AND S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 11:23
S34	20	S33 AND (@pd<"20030903" or @ad<"20030903" or @prad<"20030903" or @rlad<"20030903")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 11:23
S35	137142	serv\$4 NEAR3 application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 14:17
S36	111	S35 SAME S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 14:17
S37	57	S35 WITH S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 14:18
S38	28	S37 AND (@pd<"20030903" or @ad<"20030903" or @prad<"20030903" or @rlad<"20030903")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 14:18
S39	21929	(intermitten\$4 OR periodical\$4 OR iterativ\$4 OR occasional\$4 OR periodic\$4 OR recurr\$4) WITH ((send\$4 OR broadcast\$4 OR dispatch\$4 OR forward\$4 OR transmit\$4 OR transfer\$4) NEAR5 (information OR report OR message))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 14:53

EAST Search History

S40	2812	S39 AND ("718".clas. OR "709".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 14:50
S41	23140	(intermittent\$4 OR periodical\$4 OR iterative\$4 OR occasional\$4 OR periodic\$4 OR recurrent\$4) WITH ((send\$4 OR broadcast\$4 OR dispatch\$4 OR forward\$4 OR transmit\$4 OR transfer\$4) NEAR5 (information OR report OR message OR status OR usage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 16:07
S42	72	S41 WITH push\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 14:54
S43	45	S42 AND (@pd<"20030903" or @ad<"20030903" or @prad<"20030903" or @rlad<"20030903")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 15:59
S44	6	S43 AND ("709".clas. OR "718".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 14:54
S46	25324	(usage OR status) NEAR3 message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 16:09
S47	2090	push NEAR5 (intermittent\$4 OR periodical\$4 OR iterative\$4 OR occasional\$4 OR periodic\$4 OR recurrent\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 16:09
S48	3	S46 WITH S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 16:09

EAST Search History

S49	3	S48 AND (intermittent\$4 OR periodical\$4 OR iterative\$4 OR occasional\$4 OR periodic\$4 OR recurrent\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 16:22
S51	4	S46 SAME S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 16:23
S52	3673	serving NEAR3 application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 17:02
S53	3589	push NEAR3 (update OR broadcast OR message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 17:03
S55	83	S53 WITH component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 17:03
S56	41	S55 AND (intermittent\$4 OR periodical\$4 OR iterative\$4 OR occasional\$4 OR periodic\$4 OR recurrent\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 17:03
S58	64	S55 AND (@pd<"20030903" or @ad<"20030903" or @prad<"20030903" or @rlad<"20030903")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 17:05
S59	22	push\$4 NEAR5 ((status OR usage) NEAR3 component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 17:08

EAST Search History

S60	1	S59 WITH server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 17:06
S61	1	S60 AND (@pd<"20030903" or @ad<"20030903" or @prad<"20030903" or @rlad<"20030903")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 17:07
S62	14	S59 AND (@pd<"20030903" or @ad<"20030903" or @prad<"20030903" or @rlad<"20030903")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 17:07
S64	2967	push\$4 NEAR5 (status OR usaage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 17:09
S65	342	(update OR broadccast) WITH ((usage OR status) NEAR3 component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 17:14
S66	1	S65 WITH push\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 17:14
S67	256	S65 AND (@pd<"20030903" or @ad<"20030903" or @prad<"20030903" or @rlad<"20030903")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 17:16
S68	76	S67 AND ("718".clas. OR "709". clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 17:20

EAST Search History

S69	25	S17 WITH component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 17:21
S70	0	S69 WITH push	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 17:21
S71	14	S69 AND (@pd<"20030903" or @ad<"20030903" or @prad<"20030903" or @rlad<"20030903")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 17:21
S72	21405	push WITH (usage OR status OR information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 18:18
S73	71207	(push OR periodically OR intermittently) WITH (usage OR status OR information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 18:15
S74	3633	S73 WITH send	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 18:15
S75	4832	S73 WITH send\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 18:16
S76	841	S75 AND ("718".clas. OR "709". clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 18:16

EAST Search History

S77	701	S76 AND (@pd<"20030903" or @ad<"20030903" or @prad<"20030903" or @rlad<"20030903")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 18:16
S78	1203	S72 WITH send\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 18:18
S79	257	S78 AND ("709".clas. OR "718". clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 18:19
S80	194	S79 AND (@pd<"20030903" or @ad<"20030903" or @prad<"20030903" or @rlad<"20030903")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 18:19
S81	1334	status server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 18:25
S83	0	S81 NEAR3 autonom\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 18:25
S84	0	S81 WITH autonom\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 18:25
S85	468	status NEAR2 hub	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 18:25

EAST Search History

S86	1	S85 WITH autonom\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 18:37
S87	119149	(component OR device) NEAR3 status	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 18:37
S88	2379	push\$4 WITH ((component OR device) NEAR3 (status OR usage OR information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 18:39
S89	111	S88 WITH send\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 18:39
S90	270	S88 AND ("718".clas. OR "709". clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 18:39
S91	207	S90 AND (@pd<"20030903" or @ad<"20030903" or @prad<"20030903" or @rlad<"20030903")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 18:46
S92	47	S91 AND (central\$4 NEAR2 location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 18:47
S93	1	S88 SAME (central\$4 NEAR2 location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 18:47